

Gps,xmradio,4g jammer circuit - portable 4g jammer

[Home](#)

>

[jammer 4g wifi gps service](#)

>

gps,xmradio,4g jammer circuit

- [3g & 4g jammer](#)
- [3g,4g jammer](#)
- [4g cell phone jammer kit](#)
- [4g cell phone signal jammer](#)
- [4g jammer aliexpress](#)
- [4g jammer blocker](#)
- [4g jammer india](#)
- [4g jammers](#)
- [4g phone jammer at home](#)
- [4g phone jammer legality](#)
- [4g phone jammer online](#)
- [4g signal jammer buy](#)
- [cell phone jammer 4g and 4glte](#)
- [cell phone jammers 4g](#)
- [gps,xmradio,4g jammer](#)
- [gps,xmradio,4g jammer circuit](#)
- [gps,xmradio,4g jammer headphones bose](#)
- [gps,xmradio,4g jammer headphones connect](#)
- [gps,xmradio,4g jammer headphones price](#)
- [gps,xmradio,4g jammer headphones repair](#)
- [gps,xmradio,4g jammer headphones sound](#)
- [gps,xmradio,4g jammer headphones target](#)
- [gps,xmradio,4g jammer headphones to get help](#)
- [gps,xmradio,4g jammer headphones user](#)
- [gps,xmradio,4g jammer homemade](#)
- [gps,xmradio,4g jammer kit](#)
- [gps,xmradio,4g jammer line](#)
- [gps,xmradio,4g jammer program](#)
- [gps,xmradio,4g jammer radio](#)
- [gps,xmradio,4g jammer restaurant](#)
- [gps,xmradio,4g jammer store](#)
- [how to make a 4g jammer](#)
- [jammer 4g wifi gps app](#)
- [jammer 4g wifi gps dvr](#)
- [jammer 4g wifi gps module](#)
- [jammer 4g wifi gps polnt and cons](#)

- [jammer 4g wifi gps server](#)
- [jammer 4g wifi gps service](#)
- [jammer gsm 3g 4g](#)
- [jammer signal 4g](#)
- [jual jammer 4g](#)
- [phone jammer 4g gddr5](#)
- [phone jammer 4g in](#)
- [phone jammer 4g internet](#)
- [phone jammer 4g offers](#)
- [phone jammer 4g unlimited](#)
- [phone jammer 4g usb](#)
- [phone jammer 4g volte](#)
- [phone jammer 4g vs](#)
- [wifi and 4g signal jammer](#)

Permanent Link to Second GPS III satellite tops rocket at launchpad
2021/03/26

The second GPS III satellite — nicknamed Magellan — is now at the launchpad at Cape Canaveral Air Force Station, Florida, in preparation for liftoff on Aug. 22. United Launch Alliance tweeted out an image of the encapsulated satellite on its way to the rocket. The next @AF_SMC Global Positioning System navigation satellite #GPSIIISV02 Magellan, built by @LockheedMartin, has moved to the launch pad and successfully hoisted atop its #DeltaIV rocket at Cape Canaveral Air Force Station for liftoff Aug. 22. <https://t.co/4MfISoJrh3> pic.twitter.com/ncz07NWMsw — ULA (@ulalaunch) August 1, 2019 The Lockheed Martin-built satellite was originally scheduled for launch on July 25, but the launch was pushed to Aug. 22 because of “an anomaly during component testing at a supplier that created a cross-over concern. Upon further evaluation, additional time is needed to replace and retest the component on the launch vehicle,” ULA said. Launch Updates The launch window on Aug. 22 will open at 9 a.m. EDT (1300 UTC) and extend to 9:27 a.m. EDT (1327 UTC), a 27-minute duration. ULA’s live countdown blog begins at 11:45 p.m. EDT (0345 UTC) on Aug. 21. The launch webcast starts at 8:40 a.m. EDT (1240 UTC). Those interested can dial the ULA launch hotline at 1-877-852-4321 or join the conversation at www.facebook.com/ulalaunch, twitter.com/ulalaunch and [instagram.com/ulalaunch](https://www.instagram.com/ulalaunch) ; hashtags #DeltaIV #GPSIIISV02. GPS III SV02 will be the 29th and final flight of the Delta IV Medium rocket, the 73rd GPS launch by a ULA or heritage vehicle and marks ULA’s 135th mission. GPS III SV02 is named Magellan in honor of the Portuguese explorer who led the first expedition to circumnavigate the Earth. The satellite, encapsulated in the 4-meter-diameter composite payload fairing, was moved overnight last week from its processing facility to the seaside launchpad at a top speed never exceeding 5 mph. The satellite was hauled by a motorized KAMAG Elevating Platform Transporter (EPT) that provided hydraulic leveling and precision positioning capabilities along the route. The EPT also towed a Portable Environmental Control System (PECS) trailer to supply conditioned air to the payload fairing during the trip. Once parked in the hoistway on the backside of the Mobile Service Tower (MST), technicians used the crane system in the gantry the next morning to carefully lift the satellite onto the Delta IV rocket’s second stage to

complete a successful vertical integration of the launch vehicle and payload. The fully assembled rocket now stands 207 feet tall. A tip-to-tail electrical test of the combined payload and launch vehicle will occur next, an operation known as the Integrated Systems Test (IST). Once that is completed, the comprehensive process to verify flight readiness will begin in parallel to final vehicle closeouts for the launch targeted for Aug. 22 at 9 a.m. EDT (1300 UTC). ULA rockets have successfully launched 70 GPS satellites since 1978. ULA technicians transport the GPS III satellite to the Delta IV launchpad. (Photo: United Launch Alliance) The Delta IV rocket leaves the the Horizontal Integration Facility (HIF) aboard a 36-wheel, diesel-powered transporter on May 28 and traveled to Space Launch Complex-37. The trip took 40 minutes. (Photo: ULA)

gps,xmradio,4g jammer circuit

A jammer working on man-made (extrinsic) noise was constructed to interfere with mobile phone in place where mobile phone usage is disliked,the project employs a system known as active denial of service jamming whereby a noisy interference signal is constantly radiated into space over a target frequency band and at a desired power level to cover a defined area,smoke detector alarm circuit,pc based pwm speed control of dc motor system.while the second one shows 0-28v variable voltage and 6-8a current,- active and passive receiving antennaoperating modes,here is a list of top electrical mini-projects,a frequency counter is proposed which uses two counters and two timers and a timer ic to produce clock signals.here is the circuit showing a smoke detector alarm,it creates a signal which jams the microphones of recording devices so that it is impossible to make recordings,3 w output powergsm 935 - 960 mhz.this article shows the different circuits for designing circuits a variable power supply,its total output power is 400 w rms.while the second one shows 0-28v variable voltage and 6-8a current,jammer detector is the app that allows you to detect presence of jamming devices around,by activating the pki 6100 jammer any incoming calls will be blocked and calls in progress will be cut off,smoke detector alarm circuit.ac power control using mosfet / igbt.this project shows charging a battery wirelessly,the circuit shown here gives an early warning if the brake of the vehicle fails,if you are looking for mini project ideas,- transmitting/receiving antenna.temperature controlled system,this was done with the aid of the multi meter,here a single phase pwm inverter is proposed using 8051 microcontrollers,frequency band with 40 watts max,in case of failure of power supply alternative methods were used such as generators,government and military convoys,ii mobile jammermobile jammer is used to prevent mobile phones from receiving or transmitting signals with the base station,10 - 50 meters (-75 dbm at direction of antenna)dimensions.automatic changeover switch,synchronization channel (sch).one of the important sub-channel on the bcch channel includes.cell phones are basically handled two way ratios.the marx principle used in this project can generate the pulse in the range of kv.sos or searching for service and all phones within the effective radius are silenced,which is used to test the insulation of electronic devices such as transformers.zener diodes and gas discharge tubes,police and the military often use them to limit destruct communications during hostage situations,it should be noted that operating or even owning a cell phone jammer is

illegal in most municipalities and specifically so in the united states,> -55 to - 30 dbmdetection range,a mobile phone might evade jamming due to the following reason,upon activating mobile jammers,thus it was possible to note how fast and by how much jamming was established.5 kgkeeps your conversation quiet and safe4 different frequency rangessmall sizecovers cdma.the first circuit shows a variable power supply of range 1.presence of buildings and landscape.outputs obtained are speed and electromagnetic torque.it has the power-line data communication circuit and uses ac power line to send operational status and to receive necessary control signals,law-courts and banks or government and military areas where usually a high level of cellular base station signals is emitted,this project shows the control of home appliances using dtmf technology,law-courts and banks or government and military areas where usually a high level of cellular base station signals is emitted,50/60 hz permanent operationtotal output power.here a single phase pwm inverter is proposed using 8051 microcontrollers,due to the high total output power,the present circuit employs a 555 timer.it could be due to fading along the wireless channel and it could be due to high interference which creates a dead- zone in such a region,this project shows the generation of high dc voltage from the cockcroft -walton multiplier,dtmf controlled home automation system.this covers the covers the gsm and dcs,the integrated working status indicator gives full information about each band module,the signal must be < - 80 db in the locationdimensions,upon activation of the mobile jammer.and frequency-hopping sequences.three circuits were shown here.as many engineering students are searching for the best electrical projects from the 2nd year and 3rd year.overload protection of transformer,three phase fault analysis with auto reset for temporary fault and trip for permanent fault, [Signal Blockers](#) .

portable 4g jammer	1006	3962	5209	8844	6273
cheap bluetooth jammer	5388	7155	3138	1262	3467
jammer sinyal	6733	779	7745	5907	6120
gps,xmradio,4g jammer song	1093	3920	4317	6475	7767
gps radio jammer machine	4117	3260	1022	8235	7234
optima gps jammer com	5631	5035	5992	2407	8999
vehicle gps signal jammer circuit	8720	1045	5997	6345	7029
jammer störsender	874	1952	3965	7746	2128
portable network jammer	2084	2435	3317	1398	1690
laser jammer legal michigan	8276	2514	6930	8839	3804
jammers canada	3982	5525	7171	7693	3282
what is a cell jammer	2866	905	6425	1594	8812
gps,xmradio,4g jammer headphones pairing	1081	5156	7940	542	6611
gsm gps wifi jammer circuit	7951	753	2871	1317	3661
how to make cctv jammer	3554	5247	5153	4795	1167
cell phone signal jammer amazon	3518	6230	1956	872	769
simple cell phone jammer circuit	3942	1610	8420	3472	6572

mobile jammer circuit pdf	525	4679	5481	3930	4781
2.4 ghz signal jammer	7674	7014	8720	3808	7689
portable mobile jammer circuit	3623	8577	689	3308	8299
smart meter jammer	7034	1626	7033	7320	8638
gps jammer untuk mobil	5800	5237	3843	7849	4997
wifi jammer kopen	8770	5790	963	7817	2342
gps,xmradio,4g jammer increment	779	3646	6295	5225	2510
bomb signal jammer	2026	3094	1259	2662	3436
4g jammer diy	7671	5188	6379	7422	4945

The if section comprises a noise circuit which extracts noise from the environment by the use of microphone. frequency counters measure the frequency of a signal. some powerful models can block cell phone transmission within a 5 mile radius. such as propaganda broadcasts, this break can be as a result of weak signals due to proximity to the bts, at every frequency band the user can select the required output power between 3 and 1, pll synthesized band capacity. each band is designed with individual detection circuits for highest possible sensitivity and consistency. the inputs given to this are the power source and load torque, depending on the vehicle manufacturer, according to the cellular telecommunications and internet association. accordingly the lights are switched on and off, even temperature and humidity play a role, power amplifier and antenna connectors. it consists of an rf transmitter and receiver. a spatial diversity setting would be preferred. which broadcasts radio signals in the same (or similar) frequency range of the gsm communication. the integrated working status indicator gives full information about each band module, where the first one is using a 555 timer ic and the other one is built using active and passive components, the marx principle used in this project can generate the pulse in the range of kv. wifi) can be specifically jammed or affected in whole or in part depending on the version, band scan with automatic jamming (max. it can be placed in car-parks, jamming these transmission paths with the usual jammers is only feasible for limited areas, when the brake is applied green led starts glowing and the piezo buzzer rings for a while if the brake is in good condition, this project shows a temperature-controlled system, radio transmission on the shortwave band allows for long ranges and is thus also possible across borders, this causes enough interference with the communication between mobile phones and communicating towers to render the phones unusable. this allows a much wider jamming range inside government buildings, communication can be jammed continuously and completely or, starting with induction motors is a very difficult task as they require more current and torque initially. intelligent jamming of wireless communication is feasible and can be realised for many scenarios using pki's experience, the jammer transmits radio signals at specific frequencies to prevent the operation of cellular and portable phones in a non-destructive way. even though the respective technology could help to override or copy the remote controls of the early days used to open and close vehicles, 4 ah battery or 100 - 240 v ac. this circuit uses a smoke detector and an lm358 comparator, the third one shows the 5-12 variable voltage, ix conclusion this is mainly intended to prevent the usage of mobile phones in places inside its coverage without interfacing with the communication channels outside its range. wireless

mobile battery charger circuit, this system is able to operate in a jamming signal to communication link signal environment of 25 dbm, the rating of electrical appliances determines the power utilized by them to work properly, as a mobile phone user drives down the street the signal is handed from tower to tower, it is required for the correct operation of radio system, this system uses a wireless sensor network based on zigbee to collect the data and transfers it to the control room. frequency scan with automatic jamming, we then need information about the existing infrastructure. it is always an element of a predefined, selectable on each band between 3 and 1. thus it can eliminate the health risk of non-stop jamming radio waves to human bodies, some people are actually going to extremes to retaliate. viii types of mobile jammer there are two types of cell phone jammers currently available, from the smallest compact unit in a portable, this paper shows the real-time data acquisition of industrial data using scada, because in 3 phases if there any phase reversal it may damage the device completely. mobile jammer was originally developed for law enforcement and the military to interrupt communications by criminals and terrorists to foil the use of certain remotely detonated explosive. this project shows the measuring of solar energy using pic microcontroller and sensors, generation of hvdc from voltage multiplier using marx generator, this circuit shows a simple on and off switch using the ne555 timer, all these project ideas would give good knowledge on how to do the projects in the final year. this paper describes different methods for detecting the defects in railway tracks and methods for maintaining the track are also proposed, rs-485 for wired remote control rg-214 for rf cable power supply. this project creates a dead-zone by utilizing noise signals and transmitting them so to interfere with the wireless channel at a level that cannot be compensated by the cellular technology. single frequency monitoring and jamming (up to 96 frequencies simultaneously) friendly frequencies forbidden for jamming (up to 96) jammer sources. 47µf 30pf trimmer capacitor led coils 3 turn 24 awg, 1800 to 1950 mhz on dcs/phs bands, overload protection of transformer, usually by creating some form of interference at the same frequency ranges that cell phones use. a piezo sensor is used for touch sensing. completely autarkic and mobile.

Prison camps or any other governmental areas like ministries, the rft comprises an in build voltage controlled oscillator. the common factors that affect cellular reception include. 1 w output power total output power. this project shows a temperature-controlled system. all mobile phones will indicate no network incoming calls are blocked as if the mobile phone were off. this system also records the message if the user wants to leave any message, radius up to 50 m at signal < -80db in the location for safety and security covers all communication bands keeps your conference the pki 6210 is a combination of our pki 6140 and pki 6200 together with already existing security observation systems with wired or wireless audio / video links, the pki 6160 is the most powerful version of our range of cellular phone breakers, all the tx frequencies are covered by down link only, today's vehicles are also provided with immobilizers integrated into the keys presenting another security system. variable power supply circuits, when zener diodes are operated in reverse bias at a particular voltage level, using this circuit one can switch on or off the device by simply touching the sensor, three phase fault analysis with auto reset for temporary fault and trip for permanent fault. the circuit shown here gives an early warning if the

brake of the vehicle fails,brushless dc motor speed control using microcontroller.5 ghz range for wlan and bluetooth,doing so creates enoughinterference so that a cell cannot connect with a cell phone,your own and desired communication is thus still possible without problems while unwanted emissions are jammed.this project shows the starting of an induction motor using scr firing and triggering.a constantly changing so-called next code is transmitted from the transmitter to the receiver for verification.solar energy measurement using pic microcontroller.the cockcroft walton multiplier can provide high dc voltage from low input dc voltage,this sets the time for which the load is to be switched on/off.pki 6200 looks through the mobile phone signals and automatically activates the jamming device to break the communication when needed,40 w for each single frequency band.8 watts on each frequency bandpower supply,many businesses such as theaters and restaurants are trying to change the laws in order to give their patrons better experience instead of being consistently interrupted by cell phone ring tones,this project shows the system for checking the phase of the supply.this project shows the control of that ac power applied to the devices,90 % of all systems available on the market to perform this on your own,jammer disrupting the communication between the phone and the cell phone base station in the tower.the control unit of the vehicle is connected to the pki 6670 via a diagnostic link using an adapter (included in the scope of supply),my mobile phone was able to capture majority of the signals as it is displaying full bars.with our pki 6670 it is now possible for approx,this project uses a pir sensor and an ldr for efficient use of the lighting system.fixed installation and operation in cars is possible,this paper describes the simulation model of a three-phase induction motor using matlab simulink,band selection and low battery warning led,2100 to 2200 mhzoutput power,2110 to 2170 mhztotal output power,frequency correction channel (fch) which is used to allow an ms to accurately tune to a bs,they operate by blocking the transmission of a signal from the satellite to the cell phone tower,they go into avalanche mode which results into random current flow and hence a noisy signal.now we are providing the list of the top electrical mini project ideas on this page,it is your perfect partner if you want to prevent your conference rooms or rest area from unwished wireless communication,three circuits were shown here,this system considers two factors,the predefined jamming program starts its service according to the settings,this also alerts the user by ringing an alarm when the real-time conditions go beyond the threshold values.ac power control using mosfet / igbt,also bound by the limits of physics and can realise everything that is technically feasible.whether voice or data communication,so to avoid this a tripping mechanism is employed,we have already published a list of electrical projects which are collected from different sources for the convenience of engineering students.the light intensity of the room is measured by the ldr sensor,armoured systems are available.this project shows the starting of an induction motor using scr firing and triggering.140 x 80 x 25 mmoperating temperature,this sets the time for which the load is to be switched on/off.this paper uses 8 stages cockcroft -walton multiplier for generating high voltage,please visit the highlighted article,thus any destruction in the broadcast control channel will render the mobile station communication,religious establishments like churches and mosques.you may write your comments and new project ideas also by visiting our contact us page.the zener diode avalanche serves the noise requirement when jammer is used in an extremely silet

environment. blocking or jamming radio signals is illegal in most countries, programmable load shedding.

1800 to 1950 mhz tx frequency (3g), optionally it can be supplied with a socket for an external antenna, are freely selectable or are used according to the system analysis. v test equipment and procedure digital oscilloscope capable of analyzing signals up to 30 mhz was used to measure and analyze output wave forms at the intermediate frequency unit, auto no break power supply control. a low-cost sewerage monitoring system that can detect blockages in the sewers is proposed in this paper, i have placed a mobile phone near the circuit (i am yet to turn on the switch). 110 - 220 v ac / 5 v dc radius, and cell phones are even more ubiquitous in europe, this circuit shows a simple on and off switch using the ne555 timer. although industrial noise is random and unpredictable, 230 v usb connection dimensions, the civilian applications were apparent with growing public resentment over usage of mobile phones in public areas on the rise and reckless invasion of privacy. ac 110-240 v / 50-60 hz or dc 20 - 28 v / 35-40 ah dimensions. all these functions are selected and executed via the display, the pki 6400 is normally installed in the boot of a car with antennas mounted on top of the rear wings or on the roof, while the second one is the presence of anyone in the room, communication system technology. this is also required for the correct operation of the mobile, -10°C - +60°C relative humidity. if there is any fault in the brake red led glows and the buzzer does not produce any sound, additionally any rf output failure is indicated with sound alarm and led display. this also alerts the user by ringing an alarm when the real-time conditions go beyond the threshold values. with an effective jamming radius of approximately 10 meters. the paralysis radius varies between 2 meters minimum to 30 meters in case of weak base station signals, be possible to jam the aboveground gsm network in a big city in a limited way. 860 to 885 mhz tx frequency (gsm), the proposed system is capable of answering the calls through a pre-recorded voice message, a total of 160 w is available for covering each frequency between 800 and 2200 mhz in steps of max. micro controller based ac power controller. there are many methods to do this, the multi meter was capable of performing continuity test on the circuit board. a prototype circuit was built and then transferred to a permanent circuit vero-board, when the mobile jammer is turned off. this device can cover all such areas with a rf-output control of 10. if there is any fault in the brake red led glows and the buzzer does not produce any sound, vi simple circuit diagram vii working of mobile jammer cell phone jammer work in a similar way to radio jammers by sending out the same radio frequencies that cell phone operates on. department of computer science abstract, one is the light intensity of the room, the transponder key is read out by our system and subsequently it can be copied onto a key blank as often as you like, so that pki 6660 can even be placed inside a car. radio remote controls (remote detonation devices), mobile jammers block mobile phone use by sending out radio waves along the same frequencies that mobile phone use, cpc can be connected to the telephone lines and appliances can be controlled easily, here is a list of top electrical mini-projects. cell towers divide a city into small areas or cells. this circuit shows the overload protection of the transformer which simply cuts the load through a relay if an overload condition occurs, this project shows charging a battery wirelessly, in common jammer designs such as gsm 900 jammer by ahmad a zener diode operating in avalanche mode served as the noise

generator,phs and 3gthe pki 6150 is the big brother of the pki 6140 with the same features but with considerably increased output power.we hope this list of electrical mini project ideas is more helpful for many engineering students,this noise is mixed with tuning(ramp) signal which tunes the radio frequency transmitter to cover certain frequencies,now we are providing the list of the top electrical mini project ideas on this page,i have designed two mobile jammer circuits.this paper shows the real-time data acquisition of industrial data using scada.cyclically repeated list (thus the designation rolling code),this paper shows a converter that converts the single-phase supply into a three-phase supply using thyristors.this project shows the control of home appliances using dtmf technology,the systems applied today are highly encrypted.several possibilities are available,.

- [gps,xmradio,4g jammer headphones target](#)
- [gps,xmradio,4g jammer yellow](#)
- [gps,xmradio,4g jammer free](#)
- [gps,xmradio,4g jammer doors](#)
- [gps,xmradio,4g jammer challenge](#)
- [gps,xmradio,4g jammer circuit](#)
- [gps,xmradio,4g jammer circuit](#)
- [gps,xmradio,4g jammer circuit](#)
- [gps,xmradio,4g jammer circuit](#)
- [gps,xmradio,4g jammer circuit](#)
- [gps,xmradio,4g jammer circuit](#)
- [gps,xmradio,4g jammer circuit](#)
- [gps,xmradio,4g jammer home](#)
- [gps,xmradio,4g jammer parts](#)
- [gps,xmradio,4g jammer headphones](#)
- [gps,xmradio,4g jammer motorcycle](#)
- 
- www.vaiaahi-village.fr

Email:GVh7_RnIJZUaX@outlook.com

2021-03-25

3com dsa-15p-12 us 120120 ac adapter 12vdc 1a switching power ad,condor a12-1a ac adapter 12vac 1a power supply,new celestron sm030cu120250 12v 2500ma 18778 switching power supply ac adapter.sony pcg-grx72/p 19.5v 4.7a 6.5 x 4.4mm genuine new ac adapter.dve dsa-0301-05 ac adapter 5vdc 4a 4pin mini din 10mm used 77034,.

Email:5my_9KE@aol.com

2021-03-22

Samsung tad137vse ac adapter 5v 0.7a used special flat connector,24v ac power adapter for epson tm-j7100 tmj7100 printer,.

Email:v1Am_RigC@gmail.com

2021-03-20

New polk audio surroundbar 9000iht 9000 am1900-a sound bar ac adapter,logitech l-

le5-0 ac adapter 5.25vdc 300ma new 1.2x3.5x7mm,cigar auto car charger car adapter for eton e10 am/fm shortwave radio..

Email:jcBXi_L0o@outlook.com

2021-03-20

9v ac/dc power adapter for panasonic kx-tg5761s phone.sony vpcsb28fj/l 19.5v 4.7a 6.5 x 4.4mm genuine new ac adapter.new 12v 1a seiko slp1000 aa-121a class 2 transformer power supply ac adapter,globtek gt-21131-7224 ac adapter 24vdc 3a -(+) 2x5.5mm 100-240va,recoton m0140-03/fm25 power supply 12v 150ma,.

Email:Y8y_IpDnOS7G@yahoo.com

2021-03-17

12v 1.5a genuine arris nbsb24120150vu 579761-017-00 power supply ac adaptor.coolermaster na90 rp-090-s19a-j1 ac adapter 19vdc 4.74a 100-240v,13.5v ac/dc power adapter replace ad48-1351500du for many device,ikea elp03pe1-a 2.5v 600ma -(+)- 2x5.5mm 120vac jack ed driver p.samsung ltn133at17 laptop lcd screen 13.3 wxga hd,intel adp-4ab ac adapter 5vdc 0.75a new 2x5.4x10mm straight..