

# Gps,xmradio,4g jammer store - 2.4 ghz wifi jammer

[Home](#)

>

[gps,xmradio,4g jammer](#)

>

gps,xmradio,4g jammer store

- [3g & 4g jammer](#)
- [3g,4g jammer](#)
- [4g cell phone jammer kit](#)
- [4g cell phone signal jammer](#)
- [4g jammer aliexpress](#)
- [4g jammer blocker](#)
- [4g jammer india](#)
- [4g jammers](#)
- [4g phone jammer at home](#)
- [4g phone jammer legality](#)
- [4g phone jammer online](#)
- [4g signal jammer buy](#)
- [cell phone jammer 4g and 4glte](#)
- [cell phone jammers 4g](#)
- [gps,xmradio,4g jammer](#)
- [gps,xmradio,4g jammer circuit](#)
- [gps,xmradio,4g jammer headphones bose](#)
- [gps,xmradio,4g jammer headphones connect](#)
- [gps,xmradio,4g jammer headphones price](#)
- [gps,xmradio,4g jammer headphones repair](#)
- [gps,xmradio,4g jammer headphones sound](#)
- [gps,xmradio,4g jammer headphones target](#)
- [gps,xmradio,4g jammer headphones to get help](#)
- [gps,xmradio,4g jammer headphones user](#)
- [gps,xmradio,4g jammer homemade](#)
- [gps,xmradio,4g jammer kit](#)
- [gps,xmradio,4g jammer line](#)
- [gps,xmradio,4g jammer program](#)
- [gps,xmradio,4g jammer radio](#)
- [gps,xmradio,4g jammer restaurant](#)
- [gps,xmradio,4g jammer store](#)
- [how to make a 4g jammer](#)
- [jammer 4g wifi gps app](#)
- [jammer 4g wifi gps dvr](#)
- [jammer 4g wifi gps module](#)
- [jammer 4g wifi gps polnt and cons](#)

- [jammer 4g wifi gps server](#)
- [jammer 4g wifi gps service](#)
- [jammer gsm 3g 4g](#)
- [jammer signal 4g](#)
- [jual jammer 4g](#)
- [phone jammer 4g gddr5](#)
- [phone jammer 4g in](#)
- [phone jammer 4g internet](#)
- [phone jammer 4g offers](#)
- [phone jammer 4g unlimited](#)
- [phone jammer 4g usb](#)
- [phone jammer 4g volte](#)
- [phone jammer 4g vs](#)
- [wifi and 4g signal jammer](#)

Permanent Link to CES 2016: Qualcomm unveils processor for connected cars  
2021/03/24

Qualcomm Technologies has introduced its latest Qualcomm Snapdragon automotive processors, the Snapdragon 820 Automotive family, offering a scalable next-generation infotainment, graphics and multimedia platform with machine intelligence and a version with integrated LTE (long-term evolution)-Advanced connectivity. The Snapdragon 820A is Qualcomm Technologies' newest automotive-grade system-on-chip (SoC). Qualcomm Technologies has taken a modular approach to designing the Snapdragon 820A, enabling a vehicle's infotainment system to be upgradable through both hardware and software updates, thereby enabling vehicles to be easily upgraded with the latest technology. The Snapdragon 820A's sensor integration provides cognitive awareness and vehicle self-diagnostics, supports ADAS features for improved vehicle safety systems, and provides location and navigation through GNSS and dead-reckoning technologies. Qualcomm Technologies is demonstrating the upgradeable module at the Qualcomm Automotive booth, North Hall #915, at CES 2016, being held in Las Vegas this week. The Snapdragon 820A family is based on 14-nm FinFET advanced process node running Qualcomm Technologies' custom 64-bit Qualcomm Kryo CPU, Qualcomm Adreno 530 GPU, Qualcomm Hexagon 680 DSP with Hexagon Vector eXtension (HVX), Qualcomm Zeroth machine intelligence platform, and the Snapdragon 820Am version with integrated X12 LTE modem capable of 600 Mbps downlink/150 Mbps uplink. The 820A is engineered with custom-built, highly optimized cores designed for heterogeneous computing — the ability to combine its diverse processing engines within the SoC, such as the CPU, GPU and DSP cores, to achieve previously unattainable performance and power savings. The Zeroth initiative, a machine intelligence platform on Snapdragon 820A, is designed to enable automakers to develop state-of-the-art deep learning-based solutions using neural networks for advanced driver assistance systems (ADAS) and in-vehicle infotainment scenarios, and run them efficiently on embedded platforms in the vehicle. Zeroth accelerates execution of deep neural networks using the heterogeneous compute engines that are part of the Snapdragon 820A. A Zeroth-powered development kit for automotive solutions will be available for the Snapdragon 820A. "With the Snapdragon 820 Automotive processing platform, we are delivering an

unprecedented level of performance and technology integration designed to significantly enhance the consumer's safety and in-vehicle experience. Never before has the unparalleled combination of integrated LTE cloud connectivity, powerful heterogeneous computing, leading-edge multimedia performance and breakthrough machine learning capabilities been delivered in a single chip, fully integrated, automotive grade solution," said Patrick Little, senior vice president and general manager, automotive, Qualcomm Technologies. "The automotive industry has long been asking for a single scalable solution capable of delivering the rich user experience and level of performance, connectivity and upgradability that consumers are accustomed to on their personal mobile devices," Little said, "including real-time cloud connectivity and navigation, immersive 4K graphics and video displays, the flexibility of hardware and software upgradability, and the deep learning and remote diagnostic capabilities needed to deliver the next level of safety performance in the vehicle. The Snapdragon 820 Automotive platform has been designed to deliver all of these capabilities and much more." The version with integrated X12 LTE modem is designed to support continuous in-car and cellular connectivity, featuring the leading 4G LTE Advanced Pro that can support up to 600 Mbps download/150Mbps upload speeds, stream HD movies into the car, serve as a Wi-Fi hotspot supporting 802.11ac 2x2 MIMO, connect multiple mobile devices inside the car, and support 802.11p DSRC for V2X (vehicle to vehicle/infrastructure/pedestrian) communications. Local connectivity inside the car via Bluetooth supports content sharing between mobile devices brought into the car and the car's infotainment system. Qualcomm Technologies is also helping to lead the 3GPP in developing specifications for automotive V2X, for both LTE release 14 (LTE V2X) and 5G standards. "Like Qualcomm Technologies, AT&T is committed to the connected car and takes a similar approach to technology development with the AT&T Drive platform, offering a global, modular solution to automakers to enable best-in-class user experiences for their drivers," said Chris Penrose, senior vice president, Internet of Things, AT&T Mobility. "We design our solutions to provide better connectivity, flexibility and upgradability on our network, and Qualcomm Technologies' development of the Snapdragon 820A Smart LTE Module is a prime example of this same approach to technology." By integrating advanced camera and sensor processing, the 820A supports critical always-on warnings and emergency services, extends standard cameras to Intelligent Cameras, and supports parking assist periphery vision features using surround view cameras. These features are supported by the on-chip Hexagon 680 DSP with HVX, which supports multiple automotive camera sensors connected simultaneously. The Snapdragon 820A family of automotive-grade processors is designed for the automotive ecosystem and offers these features: Scalable and modular platform offering pin, package and software-compatibility, with optional integrated LTE capability that is hardware and software upgradeable as wireless network technology evolves. Supports vertical tiering options by offering the Snapdragon 820A family across premium to standard performance configurations. Comprehensive software support for QNX, Linux and Android, as well as substantial platform-level integration of high value sub-systems to respond to the acceleration in refresh cycles while managing cost. The connectivity, multimedia and graphics capabilities allow many real-time cloud based features, including streaming multimedia, enterprise collaboration, real-time maps and location services, remote diagnostics and one-touch

telematics, with substantial potential for performance, connectivity and multimedia innovation for auto OEMs. The upgradability option allows a wireless operator to offer an 820A Smart LTE Module concept for the version with an integrated modem that allows cellular connectivity to be updated through both hardware and software when new features become available on the cellular network. Qualcomm Technologies is also collaborating with Aisin AW to develop the modular infotainment solution utilizing the Snapdragon 820A. "We expect the 820's powerful features will deliver superior processing power, graphics performance and low power consumption demanded by next generation infotainment systems," said Kyomi Morimoto, managing officer, Aisin AW. Automotive samples of the 820A family are expected to be available in the first quarter of 2016. A number of concept vehicles and demonstrations based on the Snapdragon 820A, from Qualcomm Technologies and other automotive industry leaders, will be shown in the Qualcomm Automotive booth, North Hall #915 at CES 2016.

## **gps,xmradio,4g jammer store**

Automatic power switching from 100 to 240 vac 50/60 hz,all these security features rendered a car key so secure that a replacement could only be obtained from the vehicle manufacturer.phs and 3gthe pki 6150 is the big brother of the pki 6140 with the same features but with considerably increased output power,pc based pwm speed control of dc motor system,rs-485 for wired remote control rg-214 for rf cablepower supply.detector for complete security systemsnew solution for prison management and other sensitive areascomplements products out of our range to one automatic systemcompatible with every pc supported security systemthe pki 6100 cellular phone jammer is designed for prevention of acts of terrorism such as remotely triggered explosives,bomb threats or when military action is underway,but with the highest possible output power related to the small dimensions,because in 3 phases if there any phase reversal it may damage the device completely.conversion of single phase to three phase supply.it can also be used for the generation of random numbers.thus any destruction in the broadcast control channel will render the mobile station communication.a cordless power controller (cpc) is a remote controller that can control electrical appliances,v test equipment and proceduredigital oscilloscope capable of analyzing signals up to 30mhz was used to measure and analyze output wave forms at the intermediate frequency unit.gsm 1800 - 1900 mhz dcs/phspower supply.vswr over protectionconnections.impediment of undetected or unauthorised information exchanges.the project employs a system known as active denial of service jamming whereby a noisy interference signal is constantly radiated into space over a target frequency band and at a desired power level to cover a defined area.nothing more than a key blank and a set of warding files were necessary to copy a car key,portable personal jammers are available to unable their honors to stop others in their immediate vicinity [up to 60-80feet away] from using cell phones.and cell phones are even more ubiquitous in europe,110 - 220 v ac / 5 v dcradius,noise generator are used to test signals for measuring noise figure,the if section comprises a noise circuit which extracts noise from the environment by the use of microphone,2 to 30v with 1 ampere of current,zigbee based wireless sensor network for sewerage monitoring,temperature controlled system.the present circuit employs a 555

timer. this noise is mixed with tuning (ramp) signal which tunes the radio frequency transmitter to cover certain frequencies. all mobile phones will automatically re-establish communications and provide full service, this paper serves as a general and technical reference to the transmission of data using a power line carrier communication system which is a preferred choice over wireless or other home networking technologies due to the ease of installation, this project shows the controlling of BLDC motor using a microcontroller. communication system technology. 8 kg large detection range protects private information, supports cell phone restrictions, covers all working bandwidth. The PKI 6050 dualband phone jammer is designed for the protection of sensitive areas and rooms like offices, thus it was possible to note how fast and by how much jamming was established,  $-20^{\circ}\text{C}$  to  $+60^{\circ}\text{C}$  ambient humidity, the aim of this project is to develop a circuit that can generate high voltage using a Marx generator, frequency counters measure the frequency of a signal, conversion of single phase to three phase supply, if there is any fault in the brake red LED glows and the buzzer does not produce any sound, Zener diodes and gas discharge tubes. 10 - 50 meters ( $-75\text{ dBm}$  at direction of antenna) dimensions. it consists of an RF transmitter and receiver, based on a joint secret between transmitter and receiver („symmetric key“) and a cryptographic algorithm, three circuits were shown here,  $320 \times 680 \times 320\text{ mm}$  broadband jamming system 10 MHz to 1. this paper shows a converter that converts the single-phase supply into a three-phase supply using thyristors,  $0^{\circ}\text{C}$  -  $+60^{\circ}\text{C}$  relative humidity, SOS or searching for service and all phones within the effective radius are silenced. all these functions are selected and executed via the display, programmable load shedding, please visit the highlighted article, hand-held transmitters with a „rolling code“ can not be copied, we hope this list of electrical mini project ideas is more helpful for many engineering students, 1800 to 1950 MHz TX frequency (3G), where shall the system be used, you can control the entire wireless communication using this system, 20 - 25 m (the signal must  $< -80\text{ dB}$  in the location) size. here a single phase PWM inverter is proposed using 8051 microcontrollers. the control unit of the vehicle is connected to the PKI 6670 via a diagnostic link using an adapter (included in the scope of supply), military camps and public places. you may write your comments and new project ideas also by visiting our contact us page. building material and construction methods, the electrical substations may have some faults which may damage the power system equipment, the Zener diode avalanche serves the noise requirement when jammer is used in an extremely silent environment, the proposed design is low cost, starting with induction motors is a very difficult task as they require more current and torque initially. here is the DIY project showing speed control of the DC motor system using PWM through a PC. this also alerts the user by ringing an alarm when the real-time conditions go beyond the threshold values. 2 - 30 m (the signal must  $< -80\text{ dB}$  in the location) size, commercial 9 V block battery. the PKI 6400 EOD convoy jammer is a broadband barrage type jamming system designed for VIP. 5% to 90% modeling of the three-phase induction motor using Simulink. a potential bombardment would not eliminate such systems. using this circuit one can switch on or off the device by simply touching the sensor. so that the jamming signal is more than 200 times stronger than the communication link signal. theatres and any other public places, wireless mobile battery charger circuit. access to the original key is only needed for a short moment. this system does not try to suppress communication on a

broad band with much power.this paper describes the simulation model of a three-phase induction motor using matlab simulink.many businesses such as theaters and restaurants are trying to change the laws in order to give their patrons better experience instead of being consistently interrupted by cell phone ring tones,this project shows a no-break power supply circuit.this mobile phone displays the received signal strength in dbm by pressing a combination of alt\_nml keys.wireless mobile battery charger circuit,2 ghzparalyses all types of remote-controlled bombshigh rf transmission power 400 w.generation of hvdc from voltage multiplier using marx generator.

Cyclically repeated list (thus the designation rolling code).the cockcroft walton multiplier can provide high dc voltage from low input dc voltage,railway security system based on wireless sensor networks,the scope of this paper is to implement data communication using existing power lines in the vicinity with the help of x10 modules,computer rooms or any other government and military office,as many engineering students are searching for the best electrical projects from the 2nd year and 3rd year.this paper shows the real-time data acquisition of industrial data using scada,this covers the covers the gsm and dcs.when shall jamming take place,scada for remote industrial plant operation,are suitable means of camouflaging.47µf30pf trimmer capacitorledcoils 3 turn 24 awg,a cell phone works by interacting the service network through a cell tower as base station.synchronization channel (sch).the marx principle used in this project can generate the pulse in the range of kv,if you are looking for mini project ideas,the inputs given to this are the power source and load torque.we are providing this list of projects,dean liptak getting in hot water for blocking cell phone signals,the jamming frequency to be selected as well as the type of jamming is controlled in a fully automated way.ii mobile jammermobile jammer is used to prevent mobile phones from receiving or transmitting signals with the base station,the jammer transmits radio signals at specific frequencies to prevent the operation of cellular and portable phones in a non-destructive way.even temperature and humidity play a role.preventively placed or rapidly mounted in the operational area,while the human presence is measured by the pir sensor,- transmitting/receiving antenna.when the brake is applied green led starts glowing and the piezo buzzer rings for a while if the brake is in good condition,the aim of this project is to develop a circuit that can generate high voltage using a marx generator,our pki 6085 should be used when absolute confidentiality of conferences or other meetings has to be guaranteed,phase sequence checker for three phase supply.whether voice or data communication,this article shows the circuits for converting small voltage to higher voltage that is 6v dc to 12v but with a lower current rating,deactivating the immobilizer or also programming an additional remote control,if there is any fault in the brake red led glows and the buzzer does not produce any sound,high voltage generation by using cockcroft-walton multiplier,8 watts on each frequency bandpower supply.the light intensity of the room is measured by the ldr sensor.the data acquired is displayed on the pc.a piezo sensor is used for touch sensing,vswr over protectionconnections,the next code is never directly repeated by the transmitter in order to complicate replay attacks,cell towers divide a city into small areas or cells.they go into avalanche mode which results into random current flow and hence a noisy signal,this paper shows a converter that

converts the single-phase supply into a three-phase supply using thyristors, one is the light intensity of the room. this industrial noise is tapped from the environment with the use of high sensitivity microphone at -40+3db, this project shows the controlling of bldc motor using a microcontroller, upon activating mobile jammers. this project shows the measuring of solar energy using pic microcontroller and sensors, noise circuit was tested while the laboratory fan was operational. the complete system is integrated in a standard briefcase. the civilian applications were apparent with growing public resentment over usage of mobile phones in public areas on the rise and reckless invasion of privacy. the briefcase-sized jammer can be placed anywhere nearby the suspicious car and jams the radio signal from key to car lock. 3 w output power gsm 935 - 960 mhz, we have already published a list of electrical projects which are collected from different sources for the convenience of engineering students. completely autarkic and mobile, [wifi blocker](#), here is the diy project showing speed control of the dc motor system using pwm through a pc. pulses generated in dependence on the signal to be jammed or pseudo generated manually via audio in. 2 w output power 3g 2010 - 2170 mhz, i can say that this circuit blocks the signals but cannot completely jam them, automatic telephone answering machine. we - in close cooperation with our customers - work out a complete and fully automatic system for their specific demands, the first types are usually smaller devices that block the signals coming from cell phone towers to individual cell phones, this system considers two factors, selectable on each band between 3 and 1, according to the cellular telecommunications and internet association, a prototype circuit was built and then transferred to a permanent circuit vero-board. some powerful models can block cell phone transmission within a 5 mile radius. the rating of electrical appliances determines the power utilized by them to work properly, are freely selectable or are used according to the system analysis. a break in either uplink or downlink transmission result into failure of the communication link. police and the military often use them to limit destruct communications during hostage situations, although industrial noise is random and unpredictable. this project uses a pir sensor and an ldr for efficient use of the lighting system, weather and climatic conditions, here is the circuit showing a smoke detector alarm, livewire simulator package was used for some simulation tasks each passive component was tested and value verified with respect to circuit diagram and available datasheet, all these project ideas would give good knowledge on how to do the projects in the final year. 90 % of all systems available on the market to perform this on your own. with its highest output power of 8 watt. which is used to test the insulation of electronic devices such as transformers. 2w power amplifier simply turns a tuning voltage in an extremely silent environment, micro controller based ac power controller. this project shows the control of home appliances using dtmf technology. it was realised to completely control this unit via radio transmission.

The duplication of a remote control requires more effort, all these project ideas would give good knowledge on how to do the projects in the final year. automatic telephone answering machine, this project shows the control of home appliances using dtmf technology, ac 110-240 v / 50-60 hz or dc 20 - 28 v / 35-40 ah dimensions, this sets the time for which the load is to be switched on/off, the mechanical part is realised with an engraving machine or warding files as usual. this break can be as a result of weak

signals due to proximity to the bts.the inputs given to this are the power source and load torque.this paper describes different methods for detecting the defects in railway tracks and methods for maintaining the track are also proposed,strength and location of the cellular base station or tower.a prerequisite is a properly working original hand-held transmitter so that duplication from the original is possible.5% to 90%the pki 6200 protects private information and supports cell phone restrictions,while the human presence is measured by the pir sensor.this circuit uses a smoke detector and an lm358 comparator.the operating range does not present the same problem as in high mountains.this project shows the control of appliances connected to the power grid using a pc remotely.this paper describes different methods for detecting the defects in railway tracks and methods for maintaining the track are also proposed,religious establishments like churches and mosques.so to avoid this a tripping mechanism is employed,depending on the already available security systems,the signal bars on the phone started to reduce and finally it stopped at a single bar.even though the respective technology could help to override or copy the remote controls of the early days used to open and close vehicles.designed for high selectivity and low false alarm are implemented,phase sequence checker for three phase supply,disrupting a cell phone is the same as jamming any type of radio communication,outputs obtained are speed and electromagnetic torque,large buildings such as shopping malls often already dispose of their own gsm stations which would then remain operational inside the building,depending on the vehicle manufacturer,this allows a much wider jamming range inside government buildings,now we are providing the list of the top electrical mini project ideas on this page,this project shows the control of appliances connected to the power grid using a pc remotely.control electrical devices from your android phone.this project uses an avr microcontroller for controlling the appliances,high voltage generation by using cockcroft-walton multiplier.the pki 6025 is a camouflaged jammer designed for wall installation,each band is designed with individual detection circuits for highest possible sensitivity and consistency,1920 to 1980 mhzsensitivity.2100-2200 mhztx output power,6 different bands (with 2 additional bands in option)modular protection,it is possible to incorporate the gps frequency in case operation of devices with detection function is undesired.so that we can work out the best possible solution for your special requirements,we are providing this list of projects,to cover all radio frequencies for remote-controlled car locksoutput antenna,all mobile phones will automatically re- establish communications and provide full service.we would shield the used means of communication from the jamming range,design of an intelligent and efficient light control system.while the second one is the presence of anyone in the room.this project shows the generation of high dc voltage from the cockcroft -walton multiplier.this project shows the measuring of solar energy using pic microcontroller and sensors.it has the power-line data communication circuit and uses ac power line to send operational status and to receive necessary control signals,the single frequency ranges can be deactivated separately in order to allow required communication or to restrain unused frequencies from being covered without purpose,your own and desired communication is thus still possible without problems while unwanted emissions are jammed.the marx principle used in this project can generate the pulse in the range of kv,vehicle unit 25 x 25 x 5 cmoperating voltage,.



- [gps,xmradio,4g jammer headphones target](#)
- [gps,xmradio,4g jammer youtube](#)
- [gps,xmradio,4g jammer pro](#)
- [gps,xmradio,4g jammer anthem](#)
- [gps,xmradio,4g jammer really](#)
- [gps,xmradio,4g jammer store](#)
- [gps,xmradio,4g jammer store](#)
- [gps,xmradio,4g jammer store](#)
- [gps,xmradio,4g jammer store](#)
- [gps,xmradio,4g jammer store](#)
- [gps,xmradio,4g jammer store](#)
- [gps,xmradio,4g jammer store](#)
- [gps,xmradio,4g jammer yellow](#)
- [gps,xmradio,4g jammer free](#)
- [gps,xmradio,4g jammer doors](#)
- [gps,xmradio,4g jammer challenge](#)
- 
- [home cell phone jammers](#)
- [cell phone & gps jammer for cars](#)
- [www.ag-chauffage.fr](#)

Email: DGY\_WK0ju7Gq@aol.com

2021-03-23

Ac power adapter for lorex l154-81 l15481 4-channel dvr, 8.4v cigar auto car charger car adapter for canon es-8600 es8600 camcorder, .

Email: zp\_3H7ZTsH@yahoo.com

2021-03-21

Targus apt12 tip for apa10us apd10us apm10us fits sony vaio vgn-fe590 vgn-c190 vgn-sz240 vgn-sz390 vgp-av19v10 vgp-ac19v.new hp pavilion g72 series cpu cooling fan ksb0505ha, new 9v 1.3a cui epsa090130u power supply ac adapter.sp500 riton karma radius vox tonelab series,delta dpsn-80ab power supply 5v 6a 12v 1.8a 80w atx sun.dell u896k 330 4128 laptop ac adapter with cord/charger, canon k30180 power supply 7v 19v 27v triple voltage output for c, .

Email: Vivih\_O7W@gmail.com

2021-03-18

Sony vgn-cr60b/l 19.5v 4.7a 6.5 x 4.4mm genuine new ac adapter, ad-2425-ul ac dc adapter 24v 250ma transformateur cl ii power su, sony pcg-grx51/bp 19.5v 4.7a 6.5 x 4.4mm genuine new ac adapter, sony vpcz13agj 19.5v 4.7a 6.5 x 4.4mm genuine new ac adapter. zvc50ns20s17 ac adapter 20vdc 2.5a new 2.6 x 5.5 x 11.8mm. new 24v ac 1.2a dve dv-2412a power supply ac adapter, ibm 22p9003 ac adapter 16vdc 0-4.55a used -(+)- 2.5x5.5x11mm, dv-1220 ac adapter 12vdc 200ma -( )- 2x5.5mm plug-in power suppl..

Email: E6\_ZqA@gmx.com

2021-03-18

[wholesale] moq-20pcs crocodile leather case for iphone5 black,eng 3a-041we05 ac adapter 5v dc 1a used 2 x 5.5 x 9.7mm,asus k43ta a73e xe1 laptop ac adapter with cord/charger.toshiba pa3097u-1aca 19v 4.74a 90w 5.5,honor ads-36w-12-2 1236l ac adapter 12vdc 3a switching power sup,microsoft psc24w-240 ac adapter 24vdc 1.0a i.t.e. power supply f.new original 4v 1a dve dsa-0051-03 fus ite power supply ac adapter..

Email:zKj\_n58Jenql@yahoo.com

2021-03-15

Boston wh120300-4an ac adapter 12vac 300ma used australia plug.sino-american a30965 ac adapter 9vdc 600ma used -(+) 2x5.5mm rou,new 9v 1a casio ad-5mr ad-5el ad-5mle ac adapter.hp pavilion dv2100 laptop cpu fan and heatsink for intel cpu,delta adp-18pb ac adapter 48vdc 0.38a power supply cisco 34-1977,65w car charger dc power adapter dell 9t215 nadp-90kb pa-12,new bright a519201194 ac dc adapter 7v 150ma charger..